


AUTOMATIC BIOFIREPLACE BURNER

SR-48 (1220mm)



AUTOMATIC FIRE BURNER

The automatic burner is based on burning liquid ethanol fuel with automatic feeding system. Burn clean no smoke, or ash.

INTELLIGENT CONTROL AND BEST QUALITY

The burner is equipped with 8 safety technologies with automatic refueling system. Control the fire with the included remote, app on your smartphone or home automation system.

FIRE BURNER AUTOMATIC SR-48

Technical Data



Custom Measure



5+ Flame Setting



No Chimney




5 Years Warranty



CE Certified

	Material	SS304 Stainless steel
	Flame Size	1102mm L
	Unit Dimension	1220mm L x 193mm W x 168mm H
	Fuel Capacity	10.8 Liter
	Approx Burn Time	7.7-16.6 Hours
	Heat Out put Net	9136 W / 31170 BTU
	Minimum Room	30-110m2
	Weight	G:28.5 Kgs; N:20.5 Kgs
	Application	For indoor use only
	Voltage	110-240V






FIRE BURNER AUTOMATIC SR-48

Safety Feature 5×3

- ① Temperature sensor
- ② Fuel level sensor
- ③ Over heating sensor
- ④ Anti-tilt sensor
- ⑤ CO2 Sensor
- ⑥ Auto Filling
- ⑦ Auto Feeding
- ⑧ Auto Ignition



	RS-485	RS-232	DRY CONTACT
Z-WAVE	✓		
CRESTON	✓		
ZIGBEE	✓		
BRITICINO	✓		
M-BUS	✓	✓	
CONTROL-4		✓	
RTI		✓	✓
MODBUS		✓	
VIMAR BY-BY		✓	
KNX			✓
FABARO			✓
LUTRON			✓
TAPHOME			✓

INSTALLATION (SR-48)

Specification & Clearance



Wall cavity of fire box

Fireplace Surrounds Need to be Non-combustible


	A	B	C
inch	15"	55-1/2"	17-3/4"
mm	383	1410	450



Cut opening of enclosure

A standard 3-prong grounded 110/240-volt outlet is needed

	A	B	C
inch	7-1/5"	47-3/5"	9-4/5"
mm	183	1210	250





Biofireplace



Biofireplace



+39 334 30 29 244



info@biofireplace.it



www.biofireplace.it



Via A.Gismondi 7 Spoleto (06049) Pg

ALL PRODUCT SEPCIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE AND ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF.
THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF AND SUPPLIED MANUALS.
IMPLIED WARRANTIES OF MERCHANTABILITY, IMPLIED WARRANTIES OF FITNESS, IMPLIED WARRANTIES OF WORKMANSHIP AND OTHER IMPLIED WARRANTIES ARE EXCLUDED BY biofireplace