www.biofireplace.it

AUTOMATIC BIOFIREPLACE BURNER

SR-60 (1524mm)



AUTOMATIC FIRE BURNER

The automatic burner is based on burning liquid ethanol fuel with automatic feeding system . Burn clean no smoke, or ash.

INTELLIGENT CONTROL AND BEST QUALITY

The burner is equipped with 8 safety technologies with automatic refueling system. Control the fire with the included remote, app on your smartphone or home automation system.















	Material	SS304 Stainless steel
	Flame Size	1406mm L
	Unit Dimension	1524mm L x 193mm W x 168mm H
	Fuel Capacity	14.4 Liter
	Approx Burn Time	8-20 Hours
	Heat Out put Net	11725 W / 40003 BTU
	Minimum Room	120-140 m²
	Weight	G:36.5 Kgs; N:30.5 Kgs
	Application	For indoor use only
	Voltage	110-240V









Safety Feature 5×3

- Temperature sensor
- Fuel level sensor
- Over heating sensor
- Anti-tilt sensor

- 6 Auto Filling
- Auto Feeding
- 8 Auto Ignition







Goolge Home



Amazon Echo Dot



Child Lock



	RS-485	RS-232	DRY CONTACT
Z-WAVE	V		
CRESTON	V		
ZIGBEE	V		
BRITICINO	V		
M-BUS	V	V	
CONTROL-4		V	
RTI		V	V
MODBUS		V	
VIMAR BY-BY		V	
KNX			V
FABARO			V
LUTRON			V
TAPHOME			V

INSTALLATION (SR-60)

Specification & Clearance



Wall cavity of fire box

Fireplace Surrounds Need to be Non-combustible


	Α	В	С
inch	15"	67-1/2"	17-3/4"
mm	383	1714	450



Cut opening of enclosure

A standard 3-prong grounded 110/240-volt outlet is needed

	Α	В	С
inch	7-1/5″	59-3/5"	9-4/5"
mm	183	1514	250







Biofireplace-New bio srls



39 334 30 29 244



info@biofireplace.it



www.biofireplace.it



Via A.Gismondi 7 Spoleto (06049) Pg. Italy

ALL PRODUCT SEPCIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE AND ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF.
THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF AND SUPPLIED MANUALS.
IMPLIED WARRANTIES OF MERCHANTABILITY, IMPLIED WARRANTIES OF FITNESS, IMPLIED WARRANTIES OF WORKMANSHIP AND OTHER IMPLIED WARRANTIES ARE EXCLUDED BY Biofireplace