www.biofireplace.it

AUTOMATIC FIREPLACE BURNER StR-72 (1828mm)

11111

AUTOMATIC FIRE BURNER

The automatic burner is based on burning liquid ethanol fuel with automatic feeding system . Burn clean no smoke, or ash.

INTELLIGENT CONTROL AND BEST QUALITY

The burner is equipped with 8 safety technologies with automatic refueling system. Control the fire with the included remote, app on your smartphone or home automation system.

FIRE	BURNER	AUTOMATIC	SR-72			
Tech	nnical Data		×			
Cu	stom Measure	5+ Flame Setting	No Chimney	5 Years Warranty CE Certified		
	Material	SS304 Stainless steel				
	Flame Size	1710mm L		1828.8.72"		
	Unit Dimension	1828mm L x 193mm W x	168mm H	1808.8.71.2"		
	Fuel Capacity	18 Liter		855.4 33.67" 855.4 33.67"		
	Approx Burn Time	8-24 Hours				
	Heat Out put Net	14656 W / 50003 BTU				
	Minimum Room	150-160 m ²		193 7.6"		
	Weight	G:42 Kgs; N:32 Kgs				
	Application	For indoor use only				
	Voltage	110-240V		173 6.8"		

FIRE BURNER AUTOMATIC SR-72

Safety Feature 5×3



INSTALLATION (SR-72)

Specification & Clearance



Wall cavity of fire box

Fireplace Surrounds Need to be Non-combustible


	А	В	С
inch	15″	79-1/2″	17-3/4″
mm	383	2018	450



Cut opening of enclosure

A standard 3-prong grounded 110/240-volt outlet is needed

	А	В	С			
inch	7-1/5″	71-3/5″	9-4/5″			
mm	183	1818	250			







ALL PRODUCT SEPCIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE AND ARE BELIEVED TO BE ACCURATE AS OF THE DATE HEREOF. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE HEREOF AND SUPPLIED MANUALS. IMPLIED WARRANTIES OF MERCHANTABILITY, IMPLIED WARRANTIES OF FITNESS, IMPLIED WARRANTIES OF WORKMANSHIP AND OTHER IMPLIED WARRANTIES ARE EXCLUDED BY BIOFIREPLACE